COMPOSITE ONAN LINE TRANSFER PARTS LIST *

										THE PARTS LANGE												
	2 2 2 2	7 7 7 7 7	2/3/3/5/	3/4/3/3/3	3/4/3/	A 2 2 2	12/2/3/	3/3/3/3	13/3/3	3/3//	/-/3/-	/_//	///	/_/_/	1-1-1-	1-1	////	1-1-1	///	///	///	/ / /
		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		2 8 2	7 2 2	7 2 2	2 7 2	4 4 4	# 2/2/3	777	\$\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	A 2 3/	- XX	3/3/3	2/2/2
	15/5/5/5/2				2000	0 0 2 2	2 2 2	2/2/2/2/2	2/2/2/2/	5 1 20 W	1 3 S.	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		2 2 8	8 8 8			8 8 8	2000	5.0. 5.	8 8 8	8 8 8
NO. DESCRIPTION	14/4/4/4/	7/2/2/4/4/	7/2/2/2/2/	15/4/4/5/	2/2/4/	12/4/4/	3/4/3/-	1/4/4/4/	7/4/4/.	3/2/2/2/	7/5/5/	2/2/2/	5/5/5/.	2/2/5	1/2/2/2/	14/14/14	14/2/2	4/2/2/2	2/2/2/2	2/2/2/	2/2/2	12/2/
Bracket, Voltmeter Mtg. Bracket, Voltmeter Mtg.									TTT	f f f	111		1 1	-7-/-	4/4/4/	7/4/4/	V/ V/ V	14/4/4	14/4/4	/~/~/~	1/4/4/	4/4/-
6 Milliammeter			+										+									1 1
Voltmeter - 0-600 V.Milliammeter																				1 1	1 1	1
4 Ammeter - D.C.	1-1-1-1-1	1 17 1 1 1	1 1 1 1	1 1 1 1	1 1 1	1 1 1	1 1 1	1 1 1 1	1 1 1		1111											
6 Voltmeter - 0-150 V.															1 1 1 1	1 1 1	111					
7 Voltmeter - 0-300 V. Knob, Rheostat or Selector Switch																					1 1 1	8 1
Rheostat - 150 Ohm		+ + + + + + + + + + + + + + + + + + + +		1 1 1 1 1		1 1 1	1 1 1	1 1 1	1 1 1	2 2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2 2			1 1 1		1 1	1 1 1	1 1
Rheostat - 150 Ohm Resistor - 150 Ohm, 25 W.		1 1 1 1 1	1 1 1 1	1 1 1 1 1	1 1 1	1 1 1	1 1 1				1. 1. 1.			2 2 2	2 2 2 2	2 2 2	2 2			1 1	1 1	1
Resistor - 6 Ohm, 75 W.				1		1				1 1 1 1	1 1 1		1 1 1	1 1 1	1 1 1 1	1 1 1	1 1					-
Resistor - 30 Ohm, 10 W. I Resistor - 750 Ohm, 25 W.																	+			1		1
Resistor - 20 Ohm, 10 W.				1 1 1 1	1	1 1	1 1 1	1 1	1 1 -													
2 Resistor - 3 Ohm, 10 W,	V-				+ + +								-		1 1					1 1	1 1 1	
Resistor - 10 Ohm, 25 W. Resistor - 75 Ohm, 10 W										1 1 1 1			1 1 1	1 1 1	1 1 1 1	1 1 1		1 1 1				
2 Resistor - 1000 Ohm, 25 W.					+													1 1 1	1 1 1			
Resistor - 15 Ohm, 5 W. Resistor - 2500 Ohm, 25 W				1 1 1 1	TTT	TTT		1 1 1	11111		+++								1 1 1		1 1 1	
Rectifier		1 1 1 1	111111	1 1 1 1 1	1 1 1	1 1								1 1 1			1 1					
Rectifier Rectifier									+ + + + +	1 1 1 1		1 1 1	1 1 1	1 1 1	1 1 1 1	1 1 1	1111					-
Bracket, Rectifier Mtg.			+ + + + + +																			
Relay Assy., Start Disc. Relay, Start - Stop									+								+		1 1 1		1 1 1	1 1
Relay, Start - Stop							1, 1, 1, 1			- 1 1		1							TTT			
Relay, Phase Protection Relay, Instant Transfer to Line	1 1 2 1 1		1 2		2		1 1 2		1 1 1	1 1 1	1 1 1	1 1	1 1 1	1 1		1 1 1		111				
Relay, Instant Transfer			1 1			1 1	1 1 1				4	1 1						1 1				
Contactor Contactor		1														-					1 1 1	1 1
Contactor			+	1 1									1 1 -									
Contactor															+++		+++					
Relay, Instant Transfer to Line Relay, Phase Protection					1 1																	
Contactor					1 1										++++							
Contactor Relay, Contactor Pilot																						-
Relay, Start Disc. & Trans. Sw.			++++												+							
Relay, Contactor Pilot Relay, Instant Transfer		1 1 1		1 1 1 1	1	- 1 1	1 1 1	1 1	1 11													
Contactor		1 1	+ + + + + + + + + + + + + + + + + + + +									1 1		1 1 1								
Contactor Contactor	7																					
Relay, Instant Transfer						1 1																
Relay, Contactor Pilot					I																	
Relay, Contactor Pilot Relay, Start-Stop & Transfer to Line																						
Relay, Phase Protection Contactor																						
Contactor							1 1 1	1														
Contactor																						
Contactor Contactor																						
Contactor						1																
Contactor Contactor	1 1																					
Contactor									T													
Contactor					+							1										
Contactor Contactor										1 1												
Contactor																		+				
Contactor Contactor																						
															+							

	0/2/0/0/ /0/-/ / / / / / / / / / / / / / /	
	7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	`\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$
	\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$	<u>ਫ਼ੑਫ਼ੵਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼ੑਫ਼</u>
	\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$	
D806 Contactor		
D807 Contactor		
D808 Contactor		
D809 Contactor D810 Contactor		
D811 Contactor		
D813 Contactor		
7D814 Contactor SP5 Switch, Hi-Low Charge		
SA12 Switch, Voltmeter Selector		
3P23 Switch, Test Transfer		
P69 Switch, Test Transfer P69 Switch, Hi-Low Charge		
A193 Switch, Selector		
5B9 Transformer - 15/0 V.		
5B10 Transformer - 230/20 V. 5B20 Transformer - 450/230 V.		
5B24 Transformer - 463/230 V.		
5826 Transformer - 575/230 V.		
5B29 Transformer - 230/20 V. 5B30 Transformer - 115/20 V.		
B34 Transformer - 460/230 V.		
B36 Transformer - 460/115 V.		
B55 Transformer - 230/40 V. B67 Transformer - 575/115 V.		
B77 Transformer - 460/40 V.		
B104 Limiter, Cranking		
-67 Fuse - I Amp. P104 Post, Fuse		
PIIO Fuse - I Amp.		
IPIII Post, Fuse		
2-3 Lamp, Hi Charge Indicator 2-40 Lamp, Hi Charge Indicator		
2P65 Indicator, Hi Charge Rate		
2P51 Clip, Tinnerman		
2-142 Terminal, Contactor 2-216 Terminal, Contactor	3	
2-217 Terminal, Contactor		
2A514 Block, Terminal		
2-517 Terminal, Contactor 2A611 Block, Terminal	9 9 9 9 9 9 9 9 9 9	6 9 9 9
2A712 Block, Terminal		
2A753 Jumper, Contactor		8 2
2A754 Jumper, Contactor 2A755 Jumper, Contactor		
2A755 Jumper, Contactor 2A762 Strip, Marker		
2A763 Strip, Marker		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
B768 Bar, Neutral		
B769 Bar, Neutral B770 Bar, Neutral		
Bar, Neutral		
A779 Jumper, Contactor	8	8 8 2 2
A780 Jumper, Contactor A781 Jumper, Contactor		
A859 Jumper, Contactor		
A860 Jumper, Contactor		
A1531 Jumper, Contactor	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3 3 3
A 543 Jumper, Contactor A 544 Jumper, Contactor		
6-89 Latch, Door		
P157 Latch, Door A253 Lock, Door		

Litho in U.S.A.

*This parts list applies to Spec. I Models only, however, many of the component parts listed are used on other than Spec. I Load Transfers. For special parts used on other models, refer to the wiring diagram supplied with each Load Transfer, or, consult the factory giving the complete model and serial number together with a description of the parts needed. For contactor repair parts, refer to Onan Load Contactor Parts List bulletin #900-44.

900-34

	\\$\\$\\$\\$\\#\\$\#\\$\#\#\#\#\#\#\\$\\$\\$\\$\\$	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
307 D806 Contactor		
307D807 Contactor		
307D808 Contactor		
307 D809 Contactor		-
307D810 Contactor		
307 D8 1		
307D813 Contactor		
308P5 Switch, Hi-Low Charge		
308A12 Switch, Voltmeter Selector		- 1 1
308P23 Switch, Test Transfer		
308P69 Switch, Test Transfer		
308P69 Switch, Hi-Low Charge		
308A193 Switch, Selector		-
315B9 Transformer - 15/0 V.	$oldsymbol{4}$	-
315B10 Transformer - 230/20 V.		
315B20 Transformer 450/230 V.		
315B24 Transformer - 46 J/230 V. 315B26 Transformer - 575/230 V.	╉ ┩┩╃┩╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃╃	-
315826 Transformer - 575/230 V. 315829 Transformer - 230/20 V.	$oldsymbol{4}$	1 1 1
315B30 Transformer - 115/20 V.	▋▐▐▐▐▐▐▐▐▐▐▊▊▊▊▊▊▊▊▊▊ ▊▊▊▊▊▊▊▊▊▊▊▊▊▊▊▊▊	
315B34 Transformer - 460/230 V.		
315B36 Transformer - 460/115 V.		
315B55 Transformer - 230/40 V.		
315B67 Transformer - 575/115 V.		
315B77 Transformer - 460/40 V.		
320B104 Limiter, Cranking		1 1 1
321-67 Fuse - I Amp.		
32 P 04		
321P111 Post, Fuse		
322-3 Lamp, Hi Charge Indicator		
322-40 Lamp, Hi Charge Indicator		1 1 1
322P65 Indicator, Hi Charge Rate		1 1 1
332P51 Clip, Tinnerman		-
332-142 Terminal, Contactor		
332-216 Terminal, Contactor		\rightarrow
332-217 Terminal, Contactor		
332A514 Block, Terminal 332-517 Terminal, Contactor	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1
332-517 Terminal, Contactor		-+-+
332A712 Block, Terminal		
332A753 Jumper, Contactor		
332A754 Jumper, Contactor		
332 A755 Jumper, Contactor		
332A762 Strip, Marker		
332A763 Strip, Marker		11111
332B768 Bar, Neutral		
332B769 Bar, Neutral		
332B770 Bar, Neutral		-
332B771 Bar, Neutral	8	+++
332A779 Jumper, Contactor 332A780 Jumper, Contactor		
332A780 Jumper, Contactor 332A781 Jumper, Contactor		
332A859 Jumper, Contactor		
332A860 Jumper, Contactor		
336A1531 Jumper, Contactor	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
336A1543 Jumper, Contactor		
336 A 544 Jumper, Contactor		
, 406-89 Latch, Door		
406P157 Lock, Door		
406 A253 Lock, Door		-
406 B277 Bar, Locking		

Litho in U.S.A.

*This parts list applies to Spec. I Models only, however, many of the component parts listed are used on other than Spec. I Load Transfers. For special parts used on other models, refer to the wiring diagram supplied with each Load Transfer, or, consult the factory giving the complete model and serial number together with a description of the parts needed. For contactor repair parts, refer to Onan Load Contactor Parts List bulletin #900-44.